

1760/IR500

Digital infrared thermometer with dual laser aiming system

CE



Not suitable for measuring body temperature

Technical Data:

- Temperature range: $-50 \div 500 \text{ }^{\circ}\text{C}$ ($-22 \div +932 \text{ }^{\circ}\text{F}$)
- Display resolution: $0.1 \text{ }^{\circ}\text{C}$ ($0,1 \text{ }^{\circ}\text{F}$)
- Emissivity: $0.1 \div 1$ adjustable
- Accuracy: $-50 \text{ }^{\circ}\text{C} \div +20 \text{ }^{\circ}\text{C}$ ($\pm 3 \text{ }^{\circ}\text{C}$); $20 \div 500 \text{ }^{\circ}\text{C}$ ($\pm 2\%$ or $2 \text{ }^{\circ}\text{C}$)
- Optical resolution (D:S): 12:1
- Auto power off: ca. 10 seconds
- Operating temperature: $0 \text{ }^{\circ}\text{C} \div 50 \text{ }^{\circ}\text{C}$
- Storage temperature: $-20 \text{ }^{\circ}\text{C} \div 60 \text{ }^{\circ}\text{C}$
- Power supply: 1 9V battery



500 °C

	art.	
017600350	1760/IR500	350